Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	11990	memory with array with matrix	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/12 11:06
L2	916	1 and (array with independent\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/12 11:07
L3	66	2 and (fourth adj memory)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/12 11:07
L4	40	3 and (pass or fail)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/12 11:08
L5	17	4 and @ad<"20021030"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/12 11:11
L6		((memory adj cell adj arrays) and matrix and independent\$3 and (fourth adj memory adj cell adj array) and (Pass/Fail adj signal)). clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/12 11:13
S1	30086	(memory adj cell adj array)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 16:20

		ZAOT OCUIT	•	,		
S2	8701	S1 and group	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 16:20
S3	7340	pass/fail or (pass adj fail) or pass-fail	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 16:38
S4	7089	S3 and (test\$3 or detect\$3 or monitor\$3 or measur\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 16:21
S5	3370	S4 and (program or erase)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 16:22
S6	432	S5 and EEPROM	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 16:22
S7	128	S6 and NAND	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 16:22
S8	128	S7 and second	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 16:23
S9	123	S8 and plurality	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 16:23
S10	95	S9 and parallel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 16:25
S11	47	S10 and matrix	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 16:32

S12	7	S11 and (second adj3 signal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON ·	2005/07/01 16:32
S13	3	S11 and ((pass/fail) adj2 signal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 16:41
S14	7366	pass/fail or (pass adj fail) or pass-fail	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/11 16:45
S15	7115	S14 and (test\$3 or detect\$3 or monitor\$3 or measur\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/11 16:45
S16	3382	S15 and (program or erase)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/11 16:45
S17	436	S16 and EEPROM	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/11 16:45
S18	129	S17 and NAND	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR-	ON	2005/07/11 16:45
S19	129	S18 and second	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/11 16:45
S20	123	S19 and plurality	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/11 16:45
S21	95	S20 and parallel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/11 16:45

		1			,	
S22	47	S21 and matrix	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2005/07/11 16:45
S23	3	S22 and ((pass/fail) adj2 signal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/11 16:45
S24	7366	pass/fail or (pass adj fail) or pass-fail	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/11 16:45
S25	3382	S15 and (program or erase)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR ·	ON	2005/07/11 16:47
S26	6782	365/200	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/11 16:47
S27	182	S15 AND S26	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/11 16:48
S28	112	S27 and S16	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/11 16:47
S29	21	S28 and S17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/11 16:47
S30	2299	365/185.33	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/11 16:48
S31	15	S20 AND S26	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON ·	2005/07/11 16:48

S32	1141	365/185.21	US-PGPUB; USPAT; EPO; JPO;	OR	ON	2005/07/11 16:48
			DERWENT; IBM_TDB			
S33	14	S32 and S15	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/11 16:49
S34	1	makamura-hiroshi.inv.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/11 16:49
S35	121	yamamura-toshio.inv.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/11 16:50
S36	. 0	((first adj Pass/Fail adj signal adj indicative adj2 success adj failure adj3 operation adj outputted) and (each adj cell adj array adj group)). clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 12:46
S37	1	makamura-hiroshi.inv.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 12:46
S38	0	yamumura-toshio.inv.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 12:47
S39	124	yamamura-toshio.inv.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 12:47
S40	1427	NAND adj cell	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2006/03/23 18:45
S41	92423	EEPROM	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 18:45

	•					
S42	977	S40 and S41	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 18:45
S43	471	S42 and (erase and program)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 18:45
S44	192	S43 and array and group and matrix	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 18:46
S45	41	S44 and pass/fail	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 18:47
S46	14	S45 and @ad<="20021030"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 18:47
S47	92998	EEPROM	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 14:01
S48	838041	S47 and (block or bank or sector or subarray or (sub-array) or (sub adj2 array)) or \$4array	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 14:01
S49	70667	S47 and ((block or bank or sector or subarray or (sub-array) or (sub adj2 array)) or \$4array)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 14:02
S50	398	S49 and pass/fail	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 14:34
S51	398	S50 and ad<="20021030"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 14:15

				<u></u>		
S52	260	S51 and group	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 14:05
S53	60	S52 and (NAND adj cell)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 14:05
S54	193	S50 and @ad<="20021030"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 14:45
S55	116	S54 and group	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 14:05
S56	14	S55 and (NAND adj cell)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 14:06
S57	8	S56 and independent\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 14:07
S58	8	S57 and pass/fail	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 14:47
S59	4897	pass/fail	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 14:14
S60	142	(pass/fail with array)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 14:14
S61	142	S60 and ad<="20021030"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 14:16

•				,		
S62	60	S61 and group	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 14:15
S63	60	S62 and ad<="20021030"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 14:16
S64	47	S62 and @ad<="20021030"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2006/04/05 14:33
S65	148	cell adj array adj group	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 14:33
S66	3	S65 and pass/fail	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 14:45
S67	53	array1 and array2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 14:45
S68	38	S67 and @ad<="20021030"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 14:46
S69	11	S68 and "365"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 14:46
S70	0	S69 and pass/fail	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 14:47
S71	1	S69 and fail	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 17:02

				1		
S72	6605767	(block or bank or sector or section or partition or subarray or (sub-array) or (sub adj2 array)) or \$4array	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	-2006/04/05 17:03
S73	0	(pass\$4 near faill\$3) with S72	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 17:05
S74	1678	(pass\$4 near5 fail\$3) with S72	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 17:06
S75	1702	(pass\$4 near5 fail\$4) with S72	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/04/05 17:07
S76	232	"365".clas. and S75	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 17:08
S77	169	S76 and @ad<="20021030"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 17:08
S78	6609849	(block or bank or sector or section or partition or subarray or (sub-array) or (sub adj2 array)) or \$4array	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/06 09:34
S79	1706	(pass\$4 near5 fail\$4) with S78	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/06 09:34
S80	232	"365".clas. and S79	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/06 09:34
S81	169	S80 and @ad<="20021030"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/06 09:35

			-			
S82	52	S81 and (array with locat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/06 09:46
S83	0	S81 and (array with locat\$3 with independent\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OŖ	ON	2006/04/06 09:38
S84	0	S81 and (array with locat\$3 with seperat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/06 09:38
S85	7	S81 and (array with locat\$3 with pass\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/06 09:46
S86	86311	MEMORY ADJ3 ARRAY	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 13:01
S87	27938	S86 and group	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 13:01
S88	22905	S87 and plurality	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 13:02
S89	530	S88 and (pass adj fail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 13:17
S90	450	S89 and chip	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 13:03
S91	253	S90 and @ad<"20021030"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 13:14

Page 10

S92	71	S91 and package	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 13:10
S93	9	array4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 13:13
S94	237	array\$1 with (pass adj fail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 13:13
S95	172	S94 and @ad<"20021030"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 13:18
S96	5	S95 and ("365"/\$.ccls or "257"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 13:18
S97	885484	array\$1 with array\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 13:17
S98	3068	S97 and (pass adj fail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/08/10 13:17
S99	1870	S98 and @ad<"20021030"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 13:18
S10 0	91	S99 and ("365"/\$.ccls or "257"/\$. ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/10 13:18

